

A PRACTICAL GUIDE

The Mobile Groomer Price Guide

A practical guide for mobile dog groomers

Made by the Braxis machine

braxisai.com

What this is

This guide is for mobile dog groomers.

It is a practical method, not a promise of a result. It contains no invented statistics, no fake customers, and no guarantees. The words were drafted with AI assistance.

Use the checklist at the end on a real piece of work this week.

Who this is for

This guide is for mobile dog groomers. It assumes you want a repeatable process, not a pile of tools. Start by writing the outcome you need in one sentence, then list the three inputs the work always needs and the one person who owns the next step. That sentence and that short list are the foundation for everything that follows; without them every new request becomes a fresh negotiation.

The problem

The work usually gets stuck in three places: nobody owns the next step, the input is incomplete, and the output is never checked against a real acceptance test. That is why the same task gets redone instead of improved. Start by naming the one decision that has to be made and the one artifact that proves it was made.

The method

Write down the trigger that starts the work. List the minimum inputs it needs. Produce one draft artifact, not three. Check it against a plain acceptance test. Record what changed and who owns the next step. Keep the steps in that order; skipping the acceptance test is how a fast process turns into rework.

A simple workflow

Put the trigger, inputs, draft, and acceptance test in one place. When a new request arrives, the owner fills the inputs, runs the same draft step, and checks the same test. If the test fails, fix the input, not the output. Review the log once a week and remove the step that produced the most rework.

What to measure

Measure cycle time, rework count, and the number of artifacts that passed the acceptance test on the first try. Do not measure activity. A process that produces fewer drafts but more first-pass acceptances is the better process.

What to do next

Pick one real request this week. Run it through the five steps. Write the acceptance test before you start. At the end, keep the test and the log; that is the beginning of a process someone else can run.

USE THIS

Checklist

- ☐ The trigger is written down.
- ☐ The minimum inputs are listed.
- ☐ One owner is named.
- ☐ The acceptance test is written before the draft.
- ☐ The result and the next step are logged.

Where this came from

This guide is a digital product from Braxis AI. The machine wrote it with AI assistance. It contains no invented statistics, no fake customers, and no guarantees. The PDF is delivered immediately after checkout. If something is wrong, email braxisai@gmail.com and it will be fixed.

braxisai.com